

EAU Urethral Strictures Guidelines Abbreviation List

AD = Anxiety and depression
AUS = Artificial urinary sphincter
AAR = Augmented anastomotic repair
BXO = Balanitis xerotica obliterans
BPH = Benign prostatic hyperplasia
BNS = Bladder neck stenosis
BOO = Bladder outflow obstruction
BMI = Body mass index
BT = Brachytherapy
BMFSI = Brief Male Sexual Function Inventory
BMG = Buccal mucosa grafts
BMS = Bulbomembranous urethral strictures
CMC = Carboxymethylcellulose
CT = Computed tomography
CI = Confidence interval
CLSS = Core Lower Urinary Tract Symptom Score
DO = Detrusor overactivity
DVIU = Direct vision internal urethrotomy
DOOMG = Dorsal onlay oral (buccal or lingual) mucosa graft
ED = Erectile dysfunction
EPA = Excision and primary anastomosis
EBRT = External beam radiation therapy
FHR = Failed hypospadias repair
FUS = Female urethral stricture
FtM = Female-to-male
FGU = Free graft urethroplasty
HR = Hazard Ratio
HRQoL = Health-related quality of life
HIFU = High-intensity focused ultrasound
HoLEP = Holmium enucleation of the prostate
HA = Hyaluronic acid
ISC = Intermittent self-catheterisation
ISD = Intermittent self-dilatation
IIEF = International index on erectile function
IPSS = International Prostate Symptoms Score
IQR = Interquartile range
IVU = Intravenous urography
LS = Lichen Sclerosus
LMG = Lingual mucosa graft
LIF = Longitudinal island flap
LUTS = Lower urinary tract symptoms
MRI = Magnetic resonance imaging
MSHQ = Male Sexual Health Questionnaire
MtF = Male-to-female
MMC = Mitomycin C

ICIQMLUT = Incontinence Questionnaire Male LUTS
NPV = Negative predictive value
NTEPA = Non-transecting excision and primary anastomosis
NR = Not reported
N = Number
OR = Odds ratio
OMG = Oral mucosa graft
PGI-I = Patient global impression of improvement
PROM = Patient reported outcome measure
PFUI = Pelvic fracture urethral injury
PSF = Penile skin flap
PSG = Penile skin graft
PCRUG = Pericatheter retrograde urethrography
PU = Perineal urethrostomy
PVP = Photo-selective vaporisation
PRP = Platelet rich plasma
PPV = Positive predictive value
PUSQ = Post-Urethroplasty Sexual Questionnaire
PVR = Post-void residual
KTP = Potassium titanyl phosphate
PVS = Pubo-vaginal sling
QoL = Quality of life
RP = Radical prostatectomy
RT = Radiotherapy
RCT = Randomised control trial
ReDo VUA = Redo vesico-urethral anastomosis
RUG = Retrograde urethrography
SHIM = Sexual Health Inventory for Men
SLQQ = Sexual Life Quality Questionnaire
STI = Sexually transmitted infection
SLQQ = Sexual Life Quality Questionnaire
SIS = Small intestine submucosa
SUG = Sonourethrography
SD = Standard deviation
SUI = Stress urinary incontinence
IIEF = The international index on erectile function
TTR = Time to recurrence
TEPA = Transecting EPA
TRUS = Transrectal ultrasound
TUR = Transurethral resection
TURP = Transurethral resection of prostate
TIF = Transverse island flap
UCD = Urethral catheterisation device
USD = Urethral stricture disease
USS-PROM = Urethral stricture surgery PROM
UCF = Urethrocutaneous fistula
UTI = Urinary tract infection
VOBMG = Ventral onlay BMG

VUA = Vesico-urethral anastomosis

VUAS = Vesico-urethral anastomosis stricture

VUDS = Video-urodynamics

VPSS = Visual Prostate Symptom Score

VCUG = Voiding cystourethrography